

Knowledge Base

Windows 2000 Security Event Descriptions (Part 1 of 2)

PSS ID Number: 299475

Article Last Modified on 12/3/2003

The information in this article applies to:

- Microsoft Windows 2000 Server SP1
 - Microsoft Windows 2000 Server SP2
 - Microsoft Windows 2000 Advanced Server SP1
 - Microsoft Windows 2000 Advanced Server SP2
 - Microsoft Windows 2000 Professional SP1
 - Microsoft Windows 2000 Professional SP2
 - Microsoft Windows 2000 Datacenter Server SP2
-

This article was previously published under Q299475

SUMMARY

This article contains descriptions of various security-related and auditing-related events, and information about how to interpret these events. These events will all appear in the Security event log and will be logged with a source of "Security." The following article in the Microsoft Knowledge Base is Part 2 of 2:

[301677](#) Windows 2000 Security Event Descriptions (Part 2 of 2)

MORE INFORMATION

Event ID: 512 (0x0200)
 Type: Success Audit
 Description: Windows NT is starting up.

Event ID: 513 (0x0201)
 Type: Success Audit
 Description: Windows NT is shutting down.
 All logon sessions will be terminated by this shutdown.

Event ID: 514 (0x0202)
 Type: Success Audit
 Description: An authentication package has been loaded by the Local Security Authority.
 This authentication package will be used to authenticate logon attempts.
 Authentication Package Name: %1

Event ID: 515 (0x0203)
 Type: Success Audit
 Description: A trusted logon process has registered with the Local Security Authority.
 This logon process will be trusted to submit logon requests.
 Logon Process Name: %1

Event ID: 516 (0x0204)
 Type: Success Audit
 Description: Internal resources allocated for the queuing of audit messages have been exhausted, leading to the loss of some audits.
 Number of audit messages discarded: %1

Event ID: 517 (0x0205)
 Type: Success Audit
 Description: The audit log was cleared
 Primary User Name: %1 Primary Domain: %2
 Primary Logon ID: %3 Client User Name: %4
 Client Domain: %5 Client Logon ID: %6

Event ID: 518 (0x0206)
 Type: Success Audit
 Description: An notification package has been loaded by the Security Account Manager.
 This package will be notified of any account or password changes.
 Notification Package Name: %1

Event ID: 528 (0x0210)
 Type: Success Audit
 Description: Successful Logon:
 User Name: %1 Domain: %2
 Logon ID: %3 Logon Type: %4
 Logon Process: %5 Authentication Package: %6
 Workstation Name: %7

Event ID: 529 (0x0211)
 Type: Failure Audit
 Description: Logon Failure
 Reason: Unknown user name or bad password
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 530 (0x0212)
 Type: Failure Audit
 Description: Logon Failure
 Reason: Account logon time restriction violation
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 531 (0x0213)
 Type: Failure Audit
 Description: Logon Failure
 Reason: Account currently disabled
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 532 (0x0214)
 Type: Failure Audit
 Description: Logon Failure
 Reason: The specified user account has expired
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 533 (0x0215)
 Type: Failure Audit
 Description: Logon Failure
 Reason: User not allowed to logon at this computer
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 534 (0x0216)
 Type: Failure Audit
 Description: Logon Failure
 Reason: The user has not been granted the requested logon type at this machine
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 535 (0x0217)
 Type: Failure Audit
 Description: Logon Failure
 Reason: The specified account's password has expired
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 536 (0x0218)
 Type: Failure Audit
 Description: Logon Failure
 Reason: The NetLogon component is not active
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 537 (0x0219)
 Type: Failure Audit
 Description: Logon Failure
 Reason: An unexpected error occurred during logon
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 538 (0x021A)
 Type: Success Audit
 Description: User Logoff
 User Name: %1 Domain: %2
 Logon ID: %3 Logon Type: %4.

Event ID: 539 (0x021B)
 Type: Failure Audit
 Description: Logon Failure
 Reason: Account locked out
 User Name: %1 Domain: %2
 Logon Type: %3 Logon Process: %4
 Authentication Package: %5 Workstation Name: %6

Event ID: 540 (0x021c)
 Type: Success Audit
 Description: Successful Network Logon
 User Name: %1 Domain: %2
 Logon ID: %3 Logon Type: %4
 Logon Process: %5 Authentication Package: %6
 Workstation Name: %7

Event ID: 541 (0x021d)
 Type: Success Audit

Description: IKE security association established.
 Mode: %1 Peer Identity: %2
 Filter: %3 Parameters: %4

Event ID: 542 (0x021e)
 Type: Success Audit
 Description: IKE security association ended.
 Mode: Data Protection (Quick mode)
 Filter: %1 Inbound SPI: %2
 Outbound SPI: %3

Event ID: 543 (0x021f)
 Type: Success Audit
 Description: IKE security association ended.
 Mode: Key Exchange (Main mode)
 Filter: %1

Event ID: 544 (0x0220)
 Type: Failure Audit
 Description: IKE security association establishment failed because peer could not
 authenticate. The certificate trust could not be established.
 Peer Identity: %1 Filter: %2

Event ID: 545 (0x0221)
 Type: Failure Audit
 Description: IKE peer authentication failed.
 Peer Identity: %1 Filter: %2

Event ID: 546 (0x0222)
 Type: Failure Audit
 Description: IKE security association establishment failed because peer
 sent invalid proposal.
 Mode: %1 Filter: %2
 Attribute: %3 Expected value: %4
 Received value: %5

Event ID: 547 (0x0223)
 Type: Failure Audit
 Description: IKE security association negotiation failed.
 Mode: %1 Filter: %2
 Failure Point: %3 Failure Reason: %4

Event ID: 560 (0x0230)
 Type: Success Audit
 Description: Object Open
 Object Server: %1 Object Type: %2
 Object Name: %3 New Handle ID: %4
 Operation ID:{%5,%6} Process ID: %7
 Primary User Name: %8 Primary Domain: %9
 Primary Logon ID: %10 Client User Name: %11
 Client Domain: %12 Client Logon ID: %13
 Accesses %14 Privileges %15

Event ID: 561 (0x0231)
 Type: Success Audit
 Description: Handle Allocated
 Handle ID: %1 Operation ID:{%2,%3}
 Process ID: %4

Event ID: 562 (0x0232)
 Type: Success Audit
 Description: Handle Closed
 Object Server: %1 Handle ID: %2
 Process ID: %3

Event ID: 563 (0x0233)
 Type: Success Audit
 Description: Object Open for Delete
 Object Server: %1 Object Type: %2
 Object Name: %3 New Handle ID: %4
 Operation ID:{%5,%6} Process ID: %7
 Primary User Name: %8 Primary Domain: %9
 Primary Logon ID: %10 Client User Name: %11
 Client Domain: %12 Client Logon ID: %13
 Accesses %14 Privileges %15

Event ID: 564 (0x0234)
 Type: Success Audit
 Description: Object Deleted
 Object Server: %1 Handle ID: %2
 Process ID: %3

Event ID: 565 (0x0235)
 Type: Success Audit
 Description: Object Open
 Object Server: %1 Object Type: %2
 Object Name: %3 New Handle ID: %4
 Operation ID:{%5,%6} Process ID: %7
 Primary User Name: %8 Primary Domain: %9

Primary Logon ID: %10 Client User Name: %11
 Client Domain: %12 Client Logon ID: %13
 Accesses %14 Privileges %15
 Properties: %16%17%18%19%20%21%22%23%24%25

Event ID: 566 (0x0236)
 Type: Success Audit
 Description: Object Operation
 Operation Type %1 Object Type: %2
 Object Name: %3 Handle ID: %4
 Operation ID: %5,%6 Primary User Name: %7
 Primary Domain: %8 Primary Logon ID: %9
 Client User Name: %10 Client Domain: %11
 Client Logon ID: %12 Requested Accesses %13

Event ID: 576 (0x0240)
 Type: Success Audit
 Description: Special privileges assigned to new logon:
 User Name: %1 Domain: %2
 Logon ID: %3 Assigned: %4

Event ID: 577 (0x0241)
 Type: Success Audit
 Description: Privileged Service Called
 Server: %1 Service: %2
 Primary User Name: %3 Primary Domain: %4
 Primary Logon ID: %5 Client User Name: %6
 Client Domain: %7 Client Logon ID: %8
 Privileges: %9

Event ID: 578 (0x0242)
 Type: Success Audit
 Description: Privileged object operation
 Object Server: %1 Object Handle: %2
 Process ID: %3 Primary User Name: %4
 Primary Domain: %5 Primary Logon ID: %6
 Client User Name: %7 Client Domain: %8
 Client Logon ID: %9 Privileges: %10

Event ID: 592 (0x0250)
 Type: Success Audit
 Description: A new process has been created
 New Process ID: %1 Image File Name: %2
 Creator Process ID: %3 User Name: %4
 Domain: %5 Logon ID: %6

Event ID: 593 (0x0251)
 Type: Success Audit
 Description: A process has exited
 Process ID: %1 User Name: %2
 Domain: %3 Logon ID: %4

Event ID: 594 (0x0252)
 Type: Success Audit
 Description: A handle to an object has been duplicated
 Source Handle ID: %1 Source Process ID: %2
 Target Handle ID: %3 Target Process ID: %4

Event ID: 595 (0x0253)
 Type: Success Audit
 Description: Indirect access to an object has been obtained
 Object Type: %1 Object Name: %2
 Process ID: %3 Primary User Name: %4
 Primary Domain: %5 Primary Logon ID: %6
 Client User Name: %7 Client Domain: %8
 Client Logon ID: %9 Accesses: %10

Keywords: kbinfo KB299475

Technology: kbwin2000AdvServ kbwin2000AdvServSearch kbWin2000AdvServSP1 kbWin2000AdvServSP2 kbwin2000DataServ
 kbwin2000DataServSearch kbWin2000DataServSP2 kbwin2000Pro kbwin2000ProSearch kbWin2000ProSP1 kbWin2000ProSP2
 kbwin2000Search kbwin2000Serv kbwin2000ServSearch kbwin2000ServSP1 kbwin2000ServSP2 kbWinAdvServSearch
 kbWinDataServSearch

[Send feedback to Microsoft](#)

© 2004 Microsoft Corporation. All rights reserved.